




- · Solar prep
- · Large LCD HDTV
- · Back-up camera prep
- · 12 volt heat pads on all holding tanks
- Complete interior & exterior LED lighting
- · Vented Attic
- · 35k BTU furnace
- · Bluetooth stereo
- · 60"x80" Parklane Queen Euro-Top Mattress - Choose to Sleep Better
- · Battery disconnect
- Electric Awning with LED Patio Strip Lighting


- · Maxx coat rack
- · Stainless steel appearance appliances
- · 8 function LCD remote control touch pad
- · Aluminum framed & vacuum bonded construction
- · All Seasons Insulation Package
- · USB charging stations
- · Elextric stabalizer jacks
- · Electric tongue jack
- · Radius crowned interior ceiling

	T23DKS	T26BHS	T26FBS	T28RBX	T28RKX	T29RLX	T300BH	T32BHXS	T32TSX
EXTERIOR LENGTH	26' 4"	29'10"	29'11"	33'6"	33'3"	34'3"	35' 1"	36'10"	37'8"
EXTERIOR HEIGHT W/ AC	11'4"	11'4"	11'4"	11'4"	11'4"	11'4"	11'4"	11'4"	11'4"
EXTERIOR WIDTH	8'	8'	8'	8'	8'	8'	8'	8'	8'
FRESH CAPACITY (GAL)	67	67	67	67	67	67	67	67	67
GREY CAPACITY (GAL)	31	31	62	108	62	62	70	85	108
BLACK CAPACITY (GAL)	39	31	31	54	31	31	31	54	54
AWNING SIZE (FT.)	17'	17'	19'	19'	18'	18'	18'	16'	13'
DRY HITCH WEIGHT (LB.)	823	787	731	898	935	998	1,067	962	1,255
UNLOADED VEHICLE WEIGHT (LB.)	6,454	6,624	6,730	7,631	7,412	8,045	7,757	8,571	9,050
GVWR W/BRAKES	10,983	10,947	10,891	11,298	11,095	11,398	11,263	11,362	11,655
CARGO CARRYING CAPACITY	4.529	4.323	4.161	3.667	3.683	3.353	3.479	2.791	2.605








T26BHS





T26FBS













T32TSX

# 1/2 TON FIFTH WHEELS





F250RDX shown in Mocha Interior & Optional Wood Plank Flooring


#### **FEATURES INCLUDE:**


- · Large LCD TVs on all models
- · Universal roof mounted solar prep
- · Back-up camera prep
- · 12 Volt Heat Pads on all Holding
  Tanks
- Complete interior & exterior LED lighting
- · Vented attic
- · 35k BTU furnace
- · Bluetooth stereo
- · 60"x 80" Parklane Queen Euro-Top Mattress - Choose to Sleep Better
- · Battery disconnect
- · Electric Awning with LED Patio Strip Lighting
- · Maxx coat rack
- · Stainless steel appearance appliances
- · Shaker style real hardwood cabinets with hidden hinges
- · 8 function LCD remote control touch pad
- · Aluminum framed vacuum bonded construction
- · All Seasons Insulation Package
- · Electric Stabilizer Jacks
- · USB Charging Stations


	F250RDX	F252RLX	F262RGX	F272RLX	F285RKX	F295RSX	F312BHX
EXTERIOR LENGTH	321"	32'1"	31'7"	31'4"	327"	33'6"	35'7"
EXTERIOR HEIGHT W/ AC	12'10"	12'10"	12'7"	12'10"	12'10"	12'10"	12'6"
EXTERIOR WIDTH	8'	8'	8'	8'	8'	8'	8'
FRESH CAPACITY W/ WATER HEATER (GAL)	87	87	87	87	87	87	87
GREY CAPACITY (GAL)	54	54	108	108	85	91	108
BLACK CAPACITY (GAL)	54	54	54	54	54	54	54
AWNING SIZE (FT.)	18'	18'	17'	18'	18'	13'	17'
DRY HITCH WEIGHT (LB.)	1,456	1,465	1,594	1,430	1,435	1,670	1,629
UNLOADED VEHICLE WEIGHT (LB.)	8,248	8,248	8,268	8,553	8,040	9,607	8,879
GVWR W/BRAKES	11,865	11,865	11,754	11,590	11,835	11,830	11,789
CARGO CARRYING CAPACITY (LB.)	3,617	3,617	3,486	3,057	3,795	2,223	2,851






















Shown with Optional Garden Room Windows w/Free Standing Table & Chairs and Solid Surface Counters in Cobblestone Interior & Wood Plank Flooring


#### **FEATURES INCLUDE:**


- · Large LCD TVs on all models
- · Samsung® Staron solid surface counters (kitchen only)
- · Universal roof mounted solar prep
- · Back-up camera prep
- · 12 Volt Heat Pads on all Holding Tanks
- · Complete interior & exterior LED lighting
- · Vented attic
- · 35k BTU furnace


- · Bluetooth stereo
- · 60"x80" Parklane Queen Euro-Top Mattress -Choose to Sleep Better
- · Battery disconnect
- · Electric Awning with LED Patio Strip Lighting
- · Maxx coat rack
- · Stainless steel appearance appliances
- · 8' cu. ft. refrigerator
- · Solid surface counters

- · 16" 'E' range tires with custom aluminum wheels
- · 8 function LCD remote control touch pad
- Aluminum framed & vacuum bonded construction
- · All Seasons Insulation Package
- · Fantastic fan
- · 10lon DSI water heater











	F302RL	F313RE	F317RL	F322RK
EXTERIOR LENGTH	35'3"	37'8"	37'8"	36'
EXTERIOR HEIGHT W/ AC	12'5"	12'10"	12'10"	12'3"
EXTERIOR WIDTH	8'	8'	8'	8'
FRESH CAPACITY W/ WATER HEATER (GAL)	91	91	91	91
GREY CAPACITY (GAL)	108	108	108	108
BLACK CAPACITY (GAL)	54	54	54	54
AWNING SIZE (FT.)	19'	16'	16'	19'
DRY HITCH WEIGHT (LB.)	1,595	1,710	1,769	1,690
UNLOADED VEHICLE WEIGHT (LB.)	8,854	10,374	10,493	9,149
GVWR W/BRAKES	13,595	13,710	13,769	13,690
CARGO CARRYING CAPACITY	4,741	3,336	3,276	4,541

# Wildcat Maxx

## **POPULAR** FEATURES















## FEATURES & AVAILABLE OPTIONS

## LOOK AT ALL THESE GREAT ADD-ONS FOR YOUR PURCHASE























STANDARD

Parklane Queen Euro-Top Mattress -Choose to Sleep Better



















## **STANDARD & OPTIONAL FEATURES**

#### LIVING ROOM

- Extra large booth dinette with storage under & dual pedestal table
- Tri-fold sofa / hide-a-bed sleeper sofa
- Large panoramic picture window at all dinettes
- Overhead cabinets in slide room (Dinner plate depth)
- Pleated night shades
- AM/FM/CD/DVD/USB/AV system with remote and bluetooth technology
- RCA plugs for game systems or digital cameras
- Taller 6' high slide out height (1/2 ton fifth wheels)
- Taller 6' 4" high slide out height (standards fifth wheels)
- Satellite & cable TV hookups
- 12v LED decorative lighting in slide-outs
- High back, extra large swivel rocking chairs (select models)
- Slider windows at ends of slide-outs
- Maxx bright complete interior LED lighting
- Residential carpeting with stain guard
- Magazine rack
- Command center with monitor panel
- Surround sound speakers
- Wall clock

#### **EXECUTIVE KITCHEN**

- Residential shaker-style hardwood cabinet dos
- Residential hidden hinges
- Brushed nickel finish door and drawer hardware
- Stainless appliances
- Residential fully-extension steel ball-bearing drawer guides
- Storage above refrigerator (most models)
- Upgraded microwave oven
- Brushed nickel pull-out residential style metal high rise faucet with optional solid surface counters
- 8 cu. ft. refrigerator (included standard fifth
- Extra large dual basin kitchen sink with flush mount dual sink covers

- Deep storage overhead kitchen cabinets
- Extra large pots and pans draws (most models)
- Toe kicks in kitchen cabinet base
- Glued down residential Trekk® linoleum
- 22" oven and 3-burner range with core ad built in
- Residential style range vent with light and fan
- Paper towel rack
- **Cutlery drawer**
- Kitchen wall border
- **Cutting** board
- Knife rack
- C.T.S. (Central Trash System) (most models)

#### BATHROOM

- Porcelain toilet with foot pedal flush
- Build in wood medicine cabinet
- GFI receipts in bathroom
- Residential shower surround with radius glass shower doors
- Skylight in shower
- Power vent fan
- Built-in wood dual toilet paper holder with magazine rack
- Soap dish
- Tooth brush holder
- Dual towel racks
- Radius glass shower doors

#### BEDROOM

- Pillow-top residential queen bed
- Full stand-up height in all bedrooms
- Flat floor bedrooms in all fifth wheels (No more steps on side of bed)
- Gas struts to lift bed for under-bed storage
- Fully finished bed bases
- Complete Led lights including reading lights
- Upgraded residential queen-sized bedspread and headboard
- Redroom roof vent











Mocha

Pebble

Trekk Vinyl Tile

Flooring

Cappuccino




Trekk Vinyl **Woodgrain Flooring** 



Cobblestone

Solid Surface Countertop Option







# HEAVY-DUTY ALUMINUM FRAMING

We use heavier tubing than most of our competition. Our vacuum-bonded, 2" side walls are fully insulated with R-10 Block Foam insulation and each opening is 100% framed on all 4 sides with welded aluminum



# DOUBLE INSULATED CEILING WITH REFLECTIVE FOIL, STANDARD

Our products are designed with the latest insulation products and are engineered to withstand extreme environments. Insulation and reflective foil us added above the protective water barriers on the bottom of each unit. We also add vented areas in the ductwork to heat the underbelly of each unit.



# R-38 RATING IN CEILING AND FLOORS

Spaced Age Astro-Foil Insulation"
Our system has a calculated
reflective R-Value of 38 at an ambient temperature of 80° Fahrenheit
and can double your heating and
cooling efficiencies.

### CONSTRUCTION

- 1. 3/8" Roof Decking
- 2. Insulated A/C Duct work
- 3. Heavy Duty Steel I-Beam Chassis
- 4. High Density R10 Block Foam Insulation in Walls
- 5. Vinyl Covered Interior Decorative Wall Board
- 6. Full Size Radius Entry Door
- 7. 13.5k BTU Air Conditioner
- 8. 5/8" Seamless Floor Decking
- 9. One-Piece ALPHA SUPER FLEX 3 Roof Membrane (12 year warranty)
- 10.5" Engineered and Fabricated Roof Rafters
  16" on Center
- 2 Layers of (R-7) Fiberglass Roof & End Wall Insulation Plus Reflective (R-38) with Astrofoil
- 12. (R-7) Fiberglass Floor Insulation Plus Reflective (R-38) with Astrofoil
- 13. Aerodynamic Gel-coated Fiberglass Front Can
- 14. ALL SEASON 12v Heating Pads On All Tanks
- 15. Optimized Turning Radius For Todays Short Bed Trucks
- 16. 2" Thick ALUMACAT Vacuum-Bonded Fiberglass Laminated Sidewalls
- 17. Spring-Loaded Quick Release Jack Pins on Landing Gear Legs
- 18. Radius-Wrap Aluminum Skirt Metal
- Fully Enclosed Underbelly with (R-7)
   Fiberglass Insulation ands (R-38)Aerofoil
   under Holding Tank
- 20. Premium Carpet Padding
- 21. Synthetic Residential Carpeting with Stain Guard
- 22. Load Range 'D' 15" Radial Tires (Standard) or Optional Load Range 'E' 16" Tires
- 23. F-7 Luhe Axles
- 24. Modeled Fender Skirt
- 25. Pre-Wired for Back-up Camera
- 26. Vented Attic



## CLIMATECH® COLD WEATHER ALL SEASONS INSULATION PACKAGE

- Underbelly has R-38 reflective atto-foil insulation + R-7 fiberglass under each holding tank. Also included is a 12-volt tank hearted for each of the holding tanks
- The floor has R-38 reflective astro-foil insulation + R-7 fiberglass insulation
- The ceiling, front wall and rear wall have R-38 reflective astro-foil insulation + two layers of R-7 fiberglass insulation
- The side walls, three sides of the slide-out, the raised upper deck of all fifth wheels and all raised bunk beds are vacuum-bonded, aluminum construction with R-10 high-density block foam insulation
- The slide-out floor also has a layer of R-38 reflective astro-foil insulation on top of 1.5" plywood decking
- On all fifth wheels, the outside storage compartments have an actual heat duct blowing hot air from the furnace directly into the storage compartment
- Every Wildcat Maxx comes with a vented attic to allow moisture to escape in the winter and heat to escape in
- Every Wildcat Maxx comes standard with a 35,000 BTU

(It is important to remember that astro-foil insulation has an actual "R" value of 0. It is a calculated, reflective "R" value of 38 at an ambient temperature of 80 degrees Fahrenheit.)



#### PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



Forest River, Inc. encourages our customers to purchase their Forest River products from a local dealership whenever possible for the following reasons:

- 1) Forest River, Inc. dealers are independently owned and operated businesses so priority service and scheduling is at their discretion and is often provided to customers that purchased their unit at that dealership.
- 2) Purchasing locally allows customers to establish meaningful relationships with a dealer, enhancing the RV experience through assistance with product questions, user tips or RV regulations for your state or country, and much more!
- 3) Canadian customers must meet requirements to bring an RV purchased out of the country to their home. These requirements may involve additional inspections and certifications, taxes and fees. Your local Canadian Dealer is a professional at meeting these requirements.
- 4) Scheduling timely warranty repairs and adjustments through a local dealership provides far greater flexibility and convenience to you, the customer!

It is the goal of Forest River, Inc. that all of our RV owners fully enjoy the RV experience and that customer satisfaction meets or exceeds their expectations!

#### 24/7 EMERGENCY ROADSIDE ASSISTANCE

For a worry-free ownership experience

Forest River includes one year of Coach-Net RV Technical & Roadside Assistance with each RV purchase. Whether new to the RV lifestyle or an experienced RV enthusiast, Forest River owners have 24/7 access to technical, operational and emergency road service coverage throughout the US & Canada. Coach-Net's fast, dependable service is just a phone call away.

#### Specification Definitions

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids. optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)\* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

\*Estimated average based on standard build optional equipment.


CCC (Cargo Carrying Capacity)\*\* - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 perlon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

\*\* Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.







a OR Reader on your smart phone to learn more about Forest River.



WWW.FORESTRIVERINC.COM/WILDCATMAXX (503) 831-1200

YOUR WILDCAT MAXX DEALER

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River. Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A. P./ W.: 2016.05.26